



Gate Automation Systems (Irl)

Locall: 1890 74 75 76 **Tel:** +353 65 6841175 **Fax:** +353 65 23639
Email: sfe@eircom.net **Web:** www.automationgate.com

PASS Semi-Automatic Bollard 610/P

Simple to use and easily integrated into urban furnishing, the range of mobile inset bollards provides a revolutionary service allowing the available areas to be exploited to the maximum; by using the mobile inset structure the service is only given when it is needed and furnishes a moving and suitable layout in places such as squares, pedestrian precincts or urban centres where it is not possible to install fixed barriers.

This range of cylindrical bollards are of exceptional strength and disappear into the ground, performing the function of genuine deterrents, guaranteeing pedestrian access but blocking the area to road traffic without altering the character of the area as they can be raised and lowered automatically or manually at set times or for authorised vehicles only.

Features

- Cylinder height: 500mm
- Cylinder diameter: 355mm
- Cylinder thickness: 3mm
- Speed: 10cm/ sec.
- Flasher: optional, 9 lighting points
- Finishes: FE37 matt steel and polished stainless steel optional finishes.
- Colours and personalisation to special non-standard requirements available on request.
- Non-stop duty cycle with added safety pressure switch built in as standard





Gate Automation Systems (Irl)

Locall: 1890 74 75 76 **Tel:** +353 65 6841175 **Fax:** +353 65 23639
Email: sfe@eircom.net **Web:** www.automationgate.com


PASS Semi-Automatic Bollard 275/P

Simple to use and easily integrated into urban furnishing, the range of mobile inset bollards provides a revolutionary service allowing the available areas to be exploited to the maximum; by using the mobile inset structure the service is only given when it is needed and furnishes a moving and suitable layout in places such as squares, pedestrian precincts or urban centres where it is not possible to install fixed barriers.

This range of cylindrical bollards are of exceptional strength and disappear into the ground, performing the function of genuine deterrents, guaranteeing pedestrian access but blocking the area to road traffic without altering the character of the area as they can be raised and lowered automatically or manually at set times or for authorised vehicles only.

Features

- Cylinder height: 500mm
- Cylinder diameter: 275mm
- Cylinder thickness: 3mm/ 6mm
- Speed: 10cm/ sec.
- Flasher: optional, 9 lighting points
- Housing frame
- Counter frame to be walled in
- Finishes: Standard FE37 matt steel and polished stainless steel optional finishes, others available on request.
- Colours and personalisation to special non-standard requirements
- Non-stop duty cycle with added safety pressure switch built in
- Possibility of designing pay-as-you-enter systems in city centres



Brought to you by Gate Automation Systems (Irl.)





Gate Automation Systems (Irl)

Locall: 1890 74 75 76 **Tel:** +353 65 6841175 **Fax:** +353 65 23639
Email: sfe@eircom.net **Web:** www.automationgate.com

PASS Semi-Automatic Bollard 127/P

Simple to use and easily integrated into urban furnishing, the range of mobile inset bollards provides a revolutionary service allowing the available areas to be exploited to the maximum; by using the mobile inset structure the service is only given when it is needed and furnishes a moving and suitable layout in places such as squares, pedestrian precincts or urban centres where it is not possible to install fixed barriers.

This range of cylindrical bollards are of exceptional strength and disappear into the ground, performing the function of genuine deterrents, guaranteeing pedestrian access but blocking the area to road traffic without altering the character of the area as they can be raised and lowered automatically or manually at set times of for authorised vehicles only.

Features

- Cylinder height: 500mm
- Cylinder diameter: 127mm
- Cylinder thickness: 6mm
- Speed: 6cm/ sec.
- Flasher: optional, 1 lighting point
- Housing frame: rectangular version
- Counter frame to be walled in: rectangular version
- Finishes: Iron painted, stainless steel painted silking, stainless steel painted
- FE37 matt steel and polished stainless steel optional finishes.
- Colours and personalisation to special non-standard requirements available on request.
- Non-stop duty cycle with added safety pressure switch built in as standard

